



# S10 4-65W SIN 220-240V WH EUR

## Popis produktové skupiny

Range of premium-quality glow switch starters for igniting fluorescent lamps with electromagnetic ballast.

### Product Features

- Redesigned canister top with two installation notches into which the pins of another starter fit perfectly (patented innovation)
- Radioactive-free (patented) and lead-free (RoHS-compliant)
- Premium reliability with more than 10,000 safe switches
- 2-pin igniter in plastic (flame-retardant polycarbonate) canister with high-quality radio-interference suppression capacitor
- Well-defined preheat and peak voltage ensure proper ignition

### Product Benefits

- The only starter that offers fast, easy installation with no need to use any extra tools
- No irritation – even firmly stuck starters can be removed easily
- Eco-friendly, recyclable concept (free of lead and radioactivity)
- More than 25% longer lamp life; lower maintenance costs compared with lower-quality, non-IEC-compliant starters
- Optimal connectivity through brass components and oxidation-resistant brass pins
- Flame-retardant components and UV-resistant canister for additional safety and secure ignition (validated by Underwriters Laboratories UL)

### Application

# PHILIPS

- Ignite fluorescent lamps of all brands with conventional electromagnetic ballast using TL-D (T8), TL (T12), TL mini and PL-L lamps
- S2 Ecoclick starters are suitable for:
- S10 Ecoclick starters are suitable for 220/240 V, 4-65 W single applications
- S10 Ecoclick starter is required for 220/240 V, 13 W single application
- S2 Ecoclick starter is recommended for 220/240 V, 18 W single application for optimum performance
- 110/130 V, 4-22 W single applications
- 220/240 V, 4-6-8-15-18-22 W single applications
- 220/240 V, 4-22 W series applications

### System


- Starter replacement recommended when replacing fluorescent lamps

Údaje o produktu	
Objednávkové číslo	697691 28
Kód produktu	871150069769128
locod	
Název produktu	S10 4-65W SIN 220-240V WH EUR
Název objednávaného produktu N	S10 4-65W SIN 220-240V WH EUR/1000
Druh balení N	Volně sypaný
Pocet kusu v balení N	1
Balící množství	1000
Pocet balení v transportním balení	1000
EAN produktu	8711500697691
Bar code on intermediate packing - EAN2	
EAN transportního balení	8711500697707
Logistic code(s) - 12NC	9283 922 20229
ILCOS kód N	
Hmotnost produktu	7.000 GR
Nový kód	
Popis systému	Jednoduché
Barva pouzdra	
Příkon zdroje	4-65W
Napětí	220-240V
Napětí ne znovusepnutí	140 V



STARTER S10 EUR





STARTER S10/S10E/S2/S2E

	C	E
Název produktu	Max	Max
S10 4-65W SIN 220-240V WH EUR	40.3	21.5



©2009 Koninklijke Philips Electronics N.V.

All rights reserved. Reproduction in whole or in part is prohibited without the prior written consent of the copyright owner. The information presented in this document does not form part of any quotation or contract, is believed to be accurate and reliable and may be changed without notice. No liability will be accepted by the publisher for any consequence of its use. Publication thereof does not convey nor imply any license under patent- or other industrial or intellectual property rights.

Document order number : 0000 000 00000